



SEAMLESS TERRAZZO™

Only By



etonsurfaces
inspiring technology





SEAMLESS TERRAZZO

Disruptive

SEAMLESS TERRAZZO

Is an "In Situ, On-Site Poured" innovative natural look flooring system, made of an advanced Hi-Tech cement binder basis, for a never seen before flooring result, astonishing looking and new space definition.





A two components mineral based screed, EPOXY FREE, that can be used to create uniform floors with micro or big aggregates exposure, ground and polished to the desired effect and result, entirely SEAMLESS and no joints!



Prepare for the GREAT: a new era for flooring has begun, entirely seamless, even on areas up to 1000 square meter, i.e. over 10.000 square ft., for a new horizon for architecture.



A boundless level of brightness, meeting the most ambitious effects and from a Matt natural effect to the highest gloss result.




SEAMLESS **TERRAZZO**

Customised

SEAMLESS **TERRAZZO**

Let your vision take shape by creating your own flooring characters using a limitless variety of aggregates, made of marble & natural stones, glasses, mirrors, mother pearls, shells, man-made aggregates and so on.





You can also broadcast the aggregates manually, choosing the type of effect you prefer following your creativity.

Creativity at its fullest



Be inspired by the endless possibilities of our Seamless Terrazzo: from a classical everlasting Venetian Terrazzo to a more modern contemporary stunning one, the choices are endless. The high technology of our cement-binder allows the use of a single or multi-dimensional aggregates in total freedom, ensuring an elegant flooring with no cracks and without compromising its technical performance.



Our Inorganic Pigments in product base ensure the realization of the full RAL colors shades, in a perfect Harmony of Natural Colors and Limitless Results.




SEAMLESS **TERRAZZO**

Creative

SEAMLESS **TERRAZZO**

Make flooring logos and colors geometry in a perfect seamless flooring, combining colors, shapes and effects for an even, boundless seam free flooring.



Shapes and geometries





SEAMLESS TERRAZZO

Waterjet-cut marble logo



Mosaic
logo



Do not limit your imagination: even with precisely cut thin marbles or small pieces of mosaics, Seamless Terrazzo allows you to achieve the perfect grip to create beautiful even customized floorings. Let your spaces become your own signature.



Creativity, shades, logos, and geometry entirely **Seamless**, with no joints and dividers, in an even smooth flooring line.



SEAMLESS **TERRAZZO**

Resistant

SEAMLESS **TERRAZZO**

Make it strong

- High compressive and flexural strength
- Abrasion Resistance
- No shrinkage, responding perfectly for heavy traffic flooring as well as heavy industrial end use.






An elegant performing flooring fit for industrial areas, as well as public spaces such as airports, shopping malls, hotel halls, libraries, theaters, auditoriums, schools, cinemas, hospitals and so on.









Apply first the primer on the ground base, pouring on it its sand or quartz aggregates, and profile for color geometry. Once fully dry, mix and pour the base on its for a perfect grip.



SEAMLESS **TERRAZZO**

Cost Efficient

SEAMLESS **TERRAZZO**

Just a few minutes mixing its bi-component products Product A (an hi-tech cement base and aggregates) with Product B (a natural mineral liquid formula).



→ Ideal condition to start pouring the "Product" on its even pre - arranged ground basement.








A team of n. 4/5 people can easily ensure the preparation, mixing and pouring, at least, of n. 600 square mts a day, equivalent of 6500 square feet, of its 10/13 mm , 0.5" thick product application, with just 0.4" thick base after grinding. Product Curing time is just 24 hours, resulting in very limited waiting time for its grinding and see its beautiful aggregates and flooring character emerging from the base. With that prepare for an **UNIQUE, ELEGANT, HIGH PERFORMING, TIMELESS** flooring enriching your spaces.



Endless possibilities
Flooring stairs, walls,
tops and pre-cast
work in a gentle
perfect harmony.



Elegant look



Innovative
performance



SEAMLESS **TERRAZZO**

Technical Property

SEAMLESS **TERRAZZO**

Natural look; Matt to high gloss finish; joint free flooring; only structural joints; ASTM, CE certified; can be used in LEED certified buildings.

Custom color certified, indoor use, high performance, no shrinkage, high abrasion resistance, high traffic resistance, high flexibility.

Description	Values
Mixing rate Component A&B	Approx. 20 kg mortar A to 22-23% Liquid B in weight 2.2 kg/mm/sqm Powder to 0.44 kg B/m2/mm
Mixing rate (binder & aggregates) A&B Component	Approx. 20 kg of mortar base to be mixed with 25 kg aggregates (A) 2.2 kg/mm/sqm (binder + aggregates A) to 22-23% (0.44 kg) Liquid B in weight.
Density B Component S 28	1.24 kg/l
Consumption	2.6-2.7 kg total between A&B Liquid per mm thickness/m2*
Recommended minimum thickness	10 mm after grinding Screeded down in minimum 12 mm
Opening time (22°C/72°F)	30-90 minutes
Compressive strength EN13813	C 40-80 N/mm2 7 days* C 50-100 N/mm2 28 days* F9-F15 N/mm2. 7 days* F13-F20 N/mm2. 28 days*
Flexural strength EN 13813	F9-F15 N/mm2 7 days* F13-F20 N/mm2 28 days*
Abrasion resistance	AR 0.5
Thickness application	12-30 mm: Minimum 10 mm after grinding
Open to traffic	Light - 2 days; Heavy - 5 days



SEAMLESS **TERRAZZO** , timeless and boundless elegance.



SEAMLESS TERRAZZO™

Distributed by Etonsurfaces Inc.

350 Fifth Avenue, 41st Floor

Empire State Building

10118, New York, NY

info@etonsurfaces.com

www.etonsurfaces.com

+1 917 566 1341



etonsurfaces

inspiring technology